

Listing and Amendments to the Claims

1. **(Currently Amended)** A method for encoding scalable video comprising the steps of:

forming ~~(1190)~~ a motion compensated full resolution prediction;
combining ~~(1105)~~ the motion compensated full resolution prediction from an image block to form a prediction residual;
downsampling ~~(1112)~~ the prediction residual to form a low resolution downsampled prediction residual; and
coding (1115) the low resolution downsampled prediction residual.

2. **(Currently Amended)** A spatial scalable video encoder for encoding an image block, comprising:

a motion compensator ~~(1190)~~ for forming a motion compensated full resolution prediction;
a subtractor ~~(1105)~~, in signal communication with said motion compensator, for subtracting the motion compensated full resolution prediction from the image block to form a prediction residual;
a downsampler ~~(1112)~~, in signal communication with said subtractor, for downsampling the prediction residual to form a low resolution downsampled prediction residual; and
a transformer/quantizer ~~(1115)~~, in signal communication with said downsampler, for coding the low resolution downsampled prediction residual.

3. **(Currently Amended)** The spatial scalable video encoder of claim 2, further comprising:

an inverse quantizer/inverse transformer (1125), in signal communication with said transformer/quantizer, for inverse quantizing and inverse transforming the coded low resolution downsampled prediction residual to form a coded prediction residual;

an upsampler (~~1155~~), in signal communication with said inverse quantizer/inverse transformer, for upsampling the coded prediction residual to form a coded upsampled prediction residual; and

an adder (~~1199~~), in signal communication with said upsampler, for adding the upsampled prediction residual to a motion compensated full resolution prediction to form a sum signal.

4. **(Currently Amended)** The spatial scalable video encoder of claim 3, further comprising an entropy coder (~~1120~~), in signal communication with said transformer/quantizer, for encoding the coded low resolution downsampled prediction residual into a base layer bitstream.

5. **(Currently Amended)** The spatial scalable video encoder of claim 3, further comprising:

a subtractor (~~1160~~), in signal communication with said adder (~~1199~~), for subtracting the sum signal from the input image block to form a difference signal; and

another quantizer/transformer (~~1170~~), in signal communication with said subtractor, for forming a full resolution enhancement layer error signal from the difference signal.

6. **(Currently Amended)** The spatial scalable video encoder of claim 5, further comprising:

an entropy coder (~~1120~~), in signal communication with said quantizer/transformer, for encoding the coded downsampled prediction residual into a base layer bitstream; and

an entropy coder (~~1175~~), in signal communication with said quantizer/transformer, for encoding the full resolution enhancement layer error signal into an enhancement layer bitstream.

7. **(Original)** The spatial scalable video encoder of claim 6, wherein the enhancement layer bitstream is encoded only for intra-coded slices in the base layer bitstream.

8. **(Currently Amended)** An apparatus for encoding scalable video, comprising:

- means for forming ~~(1190)~~ a motion compensated full resolution prediction;
- means for combining ~~(1105)~~ the motion compensated full resolution prediction from an image block to form a prediction residual;
- means for downsampling ~~(1112)~~ the prediction residual to form a low resolution downsampled prediction residual; and
- means for coding ~~(1115)~~ the low resolution downsampled prediction residual.

9. **(Currently Amended)** A method for encoding an image block, comprising the steps of:

- forming ~~(1325)~~ a motion compensated full resolution prediction;
- subtracting ~~(1330)~~ the motion compensated full resolution prediction from the image block to form a prediction residual;
- downsampling ~~(1335)~~ the prediction residual to form a low resolution downsampled prediction residual; and
- coding ~~(1345)~~ the low resolution downsampled prediction residual to form a coded low resolution downsampled prediction residual.

10. **(Currently Amended)** The method of claim 9, further comprising the steps of:

- inverse quantizing and inverse transforming ~~(1350)~~ the coded low resolution downsampled prediction residual to form a coded prediction residual;
- upsampling ~~(1355)~~ the coded prediction residual to form a coded upsampled prediction residual; and
- adding ~~(1360)~~ the upsampled prediction residual to a motion compensated full resolution prediction to form a sum signal.

11. **(Currently Amended)** The method of claim 10, further comprising the step of encoding ~~(1345)~~ the coded low resolution downsampled prediction residual into a base layer bitstream.

12. **(Currently Amended)** The spatial scalable video encoder of claim 10, further comprising the steps of:
subtracting ~~(1365)~~ the sum signal from the input image block to form a difference signal; and
quantizing and transforming ~~(1370)~~ the difference signal to form a full resolution enhancement layer error signal.

13. **(Currently Amended)** The method of claim 12, further comprising the steps of:
encoding ~~(1345)~~ the coded downsampled prediction residual into a base layer bitstream; and
encoding ~~(1375)~~ the full resolution enhancement layer error signal into an enhancement layer bitstream.

14. ~~(Original)~~ The method of claim 13, wherein the enhancement layer bitstream is encoded only for intra-coded slices in the base layer bitstream.

15. **(Currently Amended)** A scalable compressed video signal data structure formed by a method comprising the steps of:
forming ~~(1325)~~ a motion compensated full resolution prediction;
subtracting ~~(1330)~~ the motion compensated full resolution prediction from the image block to form a prediction residual;
downsampling ~~(1335)~~ the prediction residual to form a low resolution downsampled prediction residual; and
coding ~~(1345)~~ the low resolution downsampled prediction residual to form a coded low resolution downsampled prediction residual.